



Quality Products Since 1932 • DRYLOK® • ZAR® • UGL®

FEB 2020

DRYLOK® EXTREME WATERPROOFER TINTING FORMULATION

MATCHING: DRYLOK® EXTREME WATERPROOFER COLORS
SYSTEM: NUANCE USING 48 INCREMENTS PER FLUID OUNCE

EXPLANATION OF NOTATION: The amount of colorant to be added is listed in two columns under the container size. The first column under OZ. lists the number(s) of full fluid ounces of colorant to add. If a zero appears in this column, no full fluid ounces are added, only fractions of a fluid ounce. The second column under the heading 48, lists the number(s) of fractions, 48ths, of a fluid ounce to add. If a zero appears in this column, no fractions are added, only full fluid ounces. If you have any questions on these formulas please contact UGL at 1-800-845-5227 before starting to tint.

IMPORTANT: Due to the differences between the pigment used in the ready-mixed colors and those used in tinting systems, minor variations are possible. For this reason, store-tinted colors should **NOT** be used to complete a job started with ready-mixed colors or vice versa. UGL can only control colors of their own manufacture. Therefore, we CANNOT guarantee that the formulas as indicated will be exact matches. Colors as listed represent our matches to color chips. It is advisable to PRE-DETERMINE the formulas, as being used, will provide the proper color match. UGL cannot assume any responsibility for any changes in shade that may occur.

COLORANTS

AX - Exterior Yellow
B - Lamp Black
C - Yellow Oxide
D - Thalo Green
E - Thalo Blue
F - Red Iron Oxide
L - Raw Umber
R - Exterior Red
KX - Titanium White

570-344-1202 • 1-800-845-5227 • Fax 570-969-7634 • www.UGL.com

Corporate Office: 1396 Jefferson Avenue, Dunmore, PA 18509 • Mail to: P.O. Box 70, Scranton, PA 18501-0070
Plant Locations: Dayton, NV • Jacksonville, IL • Jackson, MS



BEIGE						WHITE BASE		
QUART			GALLON			5 GALLON		
COLOR	OZS.	48s	COLOR	OZS.	48s	COLOR	OZS.	48s
			C	0	9	C	0	45
			L	0	21	L	2	9
			R	0	3	R	0	15

BLUE						WHITE BASE		
QUART			GALLON			5 GALLON		
COLOR	OZS.	48s	COLOR	OZS.	48s	COLOR	OZS.	48s
			D	0	4	D	0	20
			E	0	40	E	4	8

BUTTERCUP						WHITE BASE		
QUART			GALLON			5 GALLON		
COLOR	OZS.	48s	COLOR	OZS.	48s	COLOR	OZS.	48s
			AX	0	16	AX	1	32

GRAY						WHITE BASE		
QUART			GALLON			5 GALLON		
COLOR	OZS.	48s	COLOR	OZS.	48s	COLOR	OZS.	48s
			B	1	40	B	9	8
			C	1	4	C	5	20
			Remove 1 ounce of the tint base before tinting					

MINT GREEN						WHITE BASE		
QUART			GALLON			5 GALLON		
COLOR	OZS.	48s	COLOR	OZS.	48s	COLOR	OZS.	48s
			AX	0	4	AX	0	20
			D	0	4	D	0	20
			L	0	4	L	0	20



PLATINUM						WHITE BASE		
QUART			GALLON			5 GALLON		
COLOR	OZS.	48s	COLOR	OZS.	48s	COLOR	OZS.	48s
			B	0	13	B	1	17
			C	0	2	C	0	10

SAND						WHITE BASE		
QUART			GALLON			5 GALLON		
COLOR	OZS.	48s	COLOR	OZS.	48s	COLOR	OZS.	48s
			C	0	6	C	0	30
			L	0	4	L	0	20

SLATE BLUE						WHITE BASE		
QUART			GALLON			5 GALLON		
COLOR	OZS.	48s	COLOR	OZS.	48s	COLOR	OZS.	48s
			E	0	4	E	0	20
			L	0	4	L	0	20

SOFT PINK						WHITE BASE		
QUART			GALLON			5 GALLON		
COLOR	OZS.	48s	COLOR	OZS.	48s	COLOR	OZS.	48s
			C	0	3	C	0	15
			R	0	8	R	0	40

