

NOVEMBER 2016

ZAR ULTRA MAX WOOD STAIN TINTING FORMULATION

MATCHING: ZAR ULTRA MAX WOOD STAIN COLORS

SYSTEM: **DO-IT-BEST GEOSHADES** USING 32 INCREMENTS PER FLUID OUNCE

EXPLANATION OF NOTATION: The amount of colorant to be added is listed in two columns under the container size. The first column under OZ. lists the number(s) of full fluid ounces of colorant to add. If a zero appears in this column, no full fluid ounces are added, only fractions of a fluid ounce. The second column under the heading 32, lists the number(s) of fractions, 32ths, of a fluid ounce to add. If a zero appears in this column, no fractions are added, only full fluid ounces. If you have any questions on these formulas please contact UGL at 1-800-845-5227 before starting to tint.

IMPORTANT: Due to the differences between the pigment used in the ready-mixed colors and those used in tinting systems, minor variations are possible. For this reason, store-tinted colors should NOT be used to complete a job started with ready-mixed colors or vice versa.

UGL can only control colors of their own manufacture. Therefore, we CANNOT guarantee that the formulas as indicated will be exact matches. Colors as listed represent our matches to color chips. It is advisable to PRE-DETERMINE the formulas, as being used, will provide the proper color match. UGL cannot assume any responsibility for any changes in shade that may occur.

COLORANTS

Black

Blue

Magenta

New Green

New Red

Red Oxide

Umber

White

Yellow Oxide

ZAR ULTRA MAX WOOD STAIN – DO-IT-BEST GEOSHADES

190 BRAZILIAN CHERRY

196 TINT BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
Black	0	7 ½	Black	0	30			
Red Oxide	0	17	Red Oxide	2	4			
Yellow Oxide	1	6	Yellow Oxide	4	24			

191 CAYENNE PEPPER

196 TINT BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
Black	0	27 ½	Black	3	14			
Red Oxide	1	16	Red Oxide	6	0			
Yellow Oxide	0	7 ½	Yellow Oxide	0	30			

192 ESPRESSO

196 TINT BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
Black	0	10 ¾	Black	1	11			
Red Oxide	0	11 ¼	Red Oxide	1	13			
Yellow Oxide	1	8	Yellow Oxide	5	0			

193 EBONY

196 TINT BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
Black	2	27	Black	11	12			
Red Oxide	0	1	Red Oxide	0	4			
Yellow Oxide	0	1	Yellow Oxide	0	4			

194 JAMAICAN RUM

196 TINT BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
Black	0	14	Black	1	24			
Red Oxide	0	19	Red Oxide	2	12			
Yellow Oxide	0	13 ½	Yellow Oxide	1	22			

ZAR ULTRA MAX WOOD STAIN – DO-IT-BEST GEOSHADES

195 WHEAT

196 TINT BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
Black	0	7	Black	0	28			
Red Oxide	0	8 ¼	Red Oxide	1	1			
Yellow Oxide	1	2 ½	Yellow Oxide	4	10			

COLOR NAME & NUMBER

BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s