

MARCH 2016

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING TINTING
FORMULATIONS USING TWO TINT BASES

MATCHING: UGL NUDECK WOOD AND CONCRETE RESTORATIVE
COATING COLORS

SYSTEM: **MOORE-O-MATIC** USING 32 INCREMENTS PER FLUID OUNCE

EXPLANATION OF NOTATION: The amount of colorant to be added is listed in two columns under the container size. The first column under OZ. lists the number(s) of full fluid ounces of colorant to add. If a zero appears in this column, no full fluid ounces are added, only fractions of a fluid ounce. The second column under the heading 32, lists the number(s) of fractions, 32nds, of a fluid ounce to add. If a zero appears in this column, no fractions are added, only full fluid ounces. If you have any questions on these formulas please contact UGL at 1-800-845-5227 before starting to tint.

IMPORTANT: Due to the differences between the pigment used in the ready-mixed colors and those used in tinting systems, minor variations are possible. For this reason, store-tinted colors should NOT be used to complete a job started with ready-mixed colors or vice versa.

UGL can only control colors of their own manufacture. Therefore, we CANNOT guarantee that the formulas as indicated will be exact matches. Colors as listed represent our matches to color chips. It is advisable to PRE-DETERMINE the formulas, as being used, will provide the proper color match. UGL cannot assume any responsibility for any changes in shade that may occur.

COLORANTS

BB – Bright Blue
BK – Black
BR – Brown
GY – Gray
MA – Magenta
OY – Oxide Yellow
RD – Red
RX – Red Oxide
TG – Phthalo Green
WH – White
YW – Yellow

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING TWO TINT BASES – MOORE-O-MATIC

BEECHWOOD GRAY

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			BK – Black	1	17 ½	BK – Black	5	13 ¼
			OY – Oxide Yellow	2	7	OY – Oxide Yellow	7	24 ½
			RX – Red Oxide	0	6	RX – Red Oxide	0	21
			WH – White	0	4	WH – White	0	14

BEIGE

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			GY – Gray	5	7	GY – Gray	18	8 ½
			OY – Oxide Yellow	2	0	OY – Oxide Yellow	7	0
			RX – Red Oxide	0	6 ¾	RX – Red Oxide	0	23 5/8
			WH – White	0	3	WH – White	0	10 ½

BLACK CANYON

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			BK – Black	11	24	BK – Black	41	4
			TG – Phthalo Green	0	8	TG – Phthalo Green	0	28

BUTTERNUT

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			BK – Black	1	4	BK – Black	3	30
			RX – Red Oxide	1	4	RX – Red Oxide	3	30
			WH – White	2	8	WH – White	7	28
			YW – Yellow	3	16	YW – Yellow	12	8

CALIFORNIA RUSTIC

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			BK – Black	0	20	BK – Black	2	6
			OY – Oxide Yellow	4	0	OY – Oxide Yellow	14	0
			RX – Red Oxide	3	24	RX – Red Oxide	13	4
			WH – White	0	10	WH – White	1	3

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING TWO TINT BASES – MOORE-O-MATIC

CAPE COD GRAY

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			BK – Black	0	19 ½	BK – Black	2	4 ¼
			OY – Oxide Yellow	0	5 ½	OY – Oxide Yellow	0	19 ¼
			RX – Red Oxide	0	1	RX – Red Oxide	0	3 ½

CEDARWOOD

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			BK – Black	0	18	BK – Black	1	31
			OY – Oxide Yellow	7	26	OY – Oxide Yellow	27	11
			RX – Red Oxide	0	28 ½	RX – Red Oxide	3	3 ¾

CHOCOLATE

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			BK – Black	1	0	BK – Black	3	16
			OY – Oxide Yellow	3	4	OY – Oxide Yellow	10	30
			RX – Red Oxide	0	24	RX – Red Oxide	2	20
			WH – White	0	6	WH – White	0	21

COLONIAL YELLOW

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			BK – Black	0	6	BK – Black	0	21
			OY – Oxide Yellow	5	24	OY – Oxide Yellow	20	4
			RX – Red Oxide	0	2	RX – Red Oxide	0	7
			WH – White	3	0	WH – White	10	16

DEEP CHARCOAL

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			BK – Black	2	16	BK – Black	8	24
			GY – Gray	3	0	GY – Gray	10	16
			OY – Oxide Yellow	0	4	OY – Oxide Yellow	0	14
			WH – White	1	8	WH – White	4	12

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING TWO TINT BASES – MOORE-O-MATIC

DEEP DESERT SAND

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			BK – Black	0	26	BK – Black	2	27
			OY – Oxide Yellow	1	21	OY – Oxide Yellow	5	25 ½
			RX – Red Oxide	0	8 ½	RX – Red Oxide	0	29 ¾

FAWN

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			BK – Black	1	0	BK – Black	3	16
			OY – Oxide Yellow	4	8 ½	OY – Oxide Yellow	14	29 ¾
			RX – Red Oxide	0	17	RX – Red Oxide	1	27 ½

GEORGETOWN GRAY

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			BK – Black	1	30	BK – Black	6	25
			TG – Phthalo Green	0	21	TG – Phthalo Green	2	9 ½
			OY – Oxide Yellow	0	8 ½	OY – Oxide Yellow	0	29 ¾

HUNTER GREEN

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			BK – Black	1	12	BK – Black	4	26
			TG – Phthalo Green	1	16	TG – Phthalo Green	5	8
			WH – White	0	12	WH – White	1	10
			YW – Yellow	1	16	YW – Yellow	5	8

MAHOGANY

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			BK – Black	1	28	BK – Black	6	18
			MA – Magenta	0	6	MA – Magenta	0	21
			RX – Red Oxide	0	16	RX – Red Oxide	1	24

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING TWO TINT BASES – MOORE-O-MATIC

MANOR BROWN

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			BK – Black	2	4	BK – Black	7	14
			OY – Oxide Yellow	1	4	OY – Oxide Yellow	3	30
			RX – Red Oxide	0	14	RX – Red Oxide	1	17
			WH – White	0	8	WH – White	0	28

NAVAJO WHITE

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			GY – Gray	1	25	GY – Gray	6	7 ½
			OY – Oxide Yellow	0	11 ½	OY – Oxide Yellow	1	8 ¼
			RX – Red Oxide	0	¾	RX – Red Oxide	0	2 5/8

NEW PILGRIM RED

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			BK – Black	2	4	BK – Black	7	14
			MA – Magenta	1	12	MA – Magenta	4	26
			RX – Red Oxide	2	8	RX – Red Oxide	7	28

PARCHMENT

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			GY – Gray	0	10	GY – Gray	1	3
			OY – Oxide Yellow	0	19	OY – Oxide Yellow	2	2 ½
			RD – Red	0	¼	RD – Red	0	7/8

PILGRIM BLUE

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			BB – Bright Blue	1	12 ½	BB – Bright Blue	4	27 ¾
			BK – Black	0	25 ½	BK – Black	2	25 ¼
			RX – Red Oxide	0	6	RX – Red Oxide	0	21

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING TWO TINT BASES – MOORE-O-MATIC

PLATINUM

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			BK – Black	0	6	BK – Black	0	21
			MA – Magenta	0	2	MA – Magenta	0	7
			OY – Oxide Yellow	0	18	OY – Oxide Yellow	1	31

PRAIRE GOLD

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			GY – Gray	1	8	GY – Gray	4	12
			OY – Oxide Yellow	2	1 ½	OY – Oxide Yellow	7	5 ¼
			YW – Yellow	0	8	YW – Yellow	0	28

SABLE

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			BK – Black	1	28	BK – Black	6	18
			OY – Oxide Yellow	1	28	OY – Oxide Yellow	6	18
			RX – Red Oxide	2	16	RX – Red Oxide	8	24
			WH – White	0	20	WH – White	2	6

SAGE

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			BK – Black	0	25	BK – Black	2	23 ½
			OY – Oxide Yellow	1	15	OY – Oxide Yellow	5	4 ½
			TG – Phthalo Green	0	4 ½	TG – Phthalo Green	0	15 ¾

SALEM TAN

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			GY – Gray	2	30	GY – Gray	10	9
			OY – Oxide Yellow	1	10	OY – Oxide Yellow	4	19
			RX – Red Oxide	0	1 ¼	RX – Red Oxide	0	4 ¾

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING TWO TINT BASES – MOORE-O-MATIC

SANDPIPER

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			BK – Black	0	12 ½	BK – Black	1	11 ¾
			OY – Oxide Yellow	1	10	OY – Oxide Yellow	4	19
			RX – Red Oxide	0	1 ½	RX – Red Oxide	0	5 ¼

SIERRA REDWOOD

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			BK – Black	0	24	BK – Black	2	20
			MA – Magenta	0	16	MA – Magenta	1	24
			RX – Red Oxide	3	2	RX – Red Oxide	10	23
			WH – White	0	12	WH – White	1	10

STONEHEDGE

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			BK – Black	0	22	BK – Black	2	13
			GY – Gray	1	14	GY – Gray	5	1
			OY – Oxide Yellow	0	4	OY – Oxide Yellow	0	14

WINTER WHITE

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			GY – Gray	0	3	GY – Gray	0	10 ½
			OY – Yellow Oxide	0	3	OY – Yellow Oxide	0	10 ½

WHITE

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			WH – White	0	28	WH – White	3	2